



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand *                | Ricoh                              | RICOH |
|------------------------|------------------------------------|-------|
| Company name *         | Ricoh Company Ltd.                 |       |
| Contact information *  | Ricoh Europe Plc, 20 Triton Street |       |
| E-mail address         | London NW1 3BF, United Kingdom     |       |
| Internet site *        | www.ricoh.com                      |       |
| Additional information |                                    |       |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. |  |  |  |  |
|--|--|--|--|--|
| Type of product *  | Production Printer   |  |  |  |
| Commercial name *  | Pro C9110 (Entrance Unit)                                    |  |  |  |
| Model number *   | Pro C9110 (Entrance Unit)                                    |  |  |  |
| Issue date *   | 26 April 2016  |  |  |  |
| Intended market *  | ☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other |  |  |  |
| Additional information   |  |  |  |  |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

| Model number *  | Pro C9110 (Entrance Unit)              | Logo | RICOH           |
|-----------------|--|------|-----------------|
| Issue date *    | 26 April 2016                          |      | KICOH           |
| Product environ | mental attributes - Legal requirements |      | Requirement met |

| Product   | duct environmental attributes - Legal requirements Requirement met  |             |               |      |  |  |
|-----------|---|-------------|---------------|------|--|--|
| Item      |   | Yes         | No            | n.a. |  |  |
| P1        | Hazardous substances and preparations   |             |               |      |  |  |
| P1.1*     | Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)  | $\boxtimes$ |               |      |  |  |
| P1.2*     | Products do not contain Asbestos (see legal reference).   | $\boxtimes$ |               |      |  |  |
|           | Comment: Legal reference has no maximum concentration value.  |             |               |      |  |  |
| P1.3*     | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),  | $\boxtimes$ |               |      |  |  |
|           | hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum |             |               |      |  |  |
|           | concentration values.   |             |               |      |  |  |
| P1.4*     | Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated  |             |               |      |  |  |
|           | terphenyl (PCT) in preparations (see legal reference).  |             | ш             |      |  |  |
| P1.5*     | Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the  | $\boxtimes$ |               |      |  |  |
|           | chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).   |             |               |      |  |  |
| P1.6*     | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week  | $\boxtimes$ |               |      |  |  |
|           | (see legal reference).  |             |               |      |  |  |
| P1.7*     | Comment: Max limit in legal reference when tested according to EN1811:2011-5.  REACH Article 33 information about substances in articles is available at (add URL or mail contact):               |             | $\overline{}$ |      |  |  |
| F 1.1     | emo@ricoh-europe.com  |             | Ш             |      |  |  |
| P2        | Batteries   |             |               |      |  |  |
| P2.1*     | If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal   |             | $\overline{}$ |      |  |  |
| 1 2.1     | symbol. Information on proper disposal is provided in user manual. (See legal reference)  |             | Ш             |      |  |  |
| P2.2*     | Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal  | X           | П             |      |  |  |
|           | reference)  |             |               |      |  |  |
| P2.3*     | Batteries and accumulators are readily removable. (See legal reference)   | $\boxtimes$ |               |      |  |  |
| P3        | Conformity verification & Eco design (ErP)  |             |               |      |  |  |
| P3.1*     | The product is CE-marked to show conformance with applicable legal requirements (see legal reference).  |             |               |      |  |  |
| D0.01     | The Declaration of Conformity can be requested at (add link or e-mail address): <b>emo@ricoh-europe.com</b>   |             |               |      |  |  |
| P3.2*     | The product complies with the Eco design requirements for energy-related products, (see legal reference).   |             |               |      |  |  |
|           | Required information is; given in item P15 or added to this document,   |             |               |      |  |  |
|           | available at (add URL):   |             | $\boxtimes$   |      |  |  |
| P4        | Consumable materials  |             |               |      |  |  |
| P4.1*     | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see   | M           |               |      |  |  |
|           | legal reference and NOTE B1).   |             | ш             |      |  |  |
| P4.2*     | If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).  | $\boxtimes$ |               |      |  |  |
| P4.3*     | If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there   |             |               |      |  |  |
|           | are Community workplace exposure limits, the product/packaging is adequately labeled according to   |             |               |      |  |  |
|           | applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available   |             |               |      |  |  |
| DE        | (see legal reference).  |             |               |      |  |  |
| <b>P5</b> | Product packaging   |             |               |      |  |  |
| 1.0.1     | Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.   |             |               |      |  |  |
| P5.2*     | The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)  |             |               |      |  |  |
|           | used (see legal reference).   |             |               |      |  |  |
| P5.3*     | The product packaging material is free from ozone depleting substances as specified in the Montreal   | $\boxtimes$ |               |      |  |  |
|           | Protocol (see legal reference).   |             |               |      |  |  |
| DC        | Comment: Legal reference has no maximum concentration values.   |             |               |      |  |  |
| <b>P6</b> | Treatment information   |             |               |      |  |  |
| F 0. I    | Information for recyclers/treatment facilities is available (see legal reference).  |             |               |      |  |  |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model number * | Pro C9110 (Entrance Unit) | Logo | RICOH |
|----------------|---------------------------|------|-------|
| Issue date *   | 26 April 2016             |      | KICOH |

| Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Requirement met |   |                        |                     |      |  |
|---|---|------------------------|---------------------|------|--|
| Item  | *=mandatory to fill in. Additional information regarding each item may be found under P14.  | Yes                    | No                  | n.a. |  |
| P7  | Design  |                        |                     |      |  |
|   | Disassembly, recycling  |                        |                     |      |  |
| P7.1*   | Parts that have to be treated separately are easily separable   | $\boxtimes$            |                     |      |  |
| P7.2*   | Plastic materials in covers/housing have no surface coating.  | $\boxtimes$            |                     |      |  |
| P7.3*   | Plastic parts > 100 g consist of one material or of easily separable materials.   | $\boxtimes$            |                     |      |  |
| P7.4*   | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.   | $\boxtimes$            | $\overline{\sqcap}$ |      |  |
| P7.5  | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.  |                        |                     |      |  |
| P7.6*   | Labels are easily separable. (This requirement does not apply to safety/regulatory labels).   |                        |                     |      |  |
|   | Product lifetime  |                        |                     |      |  |
| P7.7*   | Upgrading can be done e.g. with processor, memory, cards or drives  | $\boxtimes$            |                     |      |  |
| P7.8*   | Upgrading can be done using commonly available tools  | $\boxtimes$            |                     |      |  |
| P7.9.   | Spare parts are available after end of production for: 7 years  | $\boxtimes$            | $\overline{\sqcap}$ |      |  |
| P7.10   | Service is available after end of production for: 7 years   | $\overline{\boxtimes}$ |                     |      |  |
|   | Material and substance requirements   |                        |                     |      |  |
| P7.11*  | Product cover/housing material type (e.g. plastics, metal, aluminum):   |                        |                     |      |  |
|   | Material type: PC+ABS Material type: PC+PS Material type:   |                        |                     |      |  |
| P7.12   | Insulation materials of external electrical cables are PVC free.  |                        | $\boxtimes$         |      |  |
| P7.13   | Insulation materials of internal electrical cables are PVC free.  |                        | $\boxtimes$         |      |  |
| P7.14   | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and | $\boxtimes$            |                     |      |  |
|   | polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts   |                        |                     |      |  |
|   | containing more than 25% post-consumer recycled content.  |                        |                     |      |  |
| P7.15   | Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low  |                        | $\boxtimes$         |      |  |
|   | halogen as defined in IEC 61249-2-21. (See NOTE B2)   |                        |                     |      |  |
| P7.16   | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:   | $\boxtimes$            |                     |      |  |
| P7.17   | Marking: <u>Alt. 1:</u> Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  |                        |                     |      |  |
| 1 7.17  | TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name:, CAS #:   |                        | $\boxtimes$         |      |  |
|   | (Coc NOTE BO), Chief, Chemical Hame.  |                        |                     |      |  |
|   | Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g   |                        |                     |      |  |
|   | according ISO 1043-4:   |                        |                     |      |  |
| P7.18   | Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in  |                        |                     |      |  |
| 7.10  | concentrations above 0.1%:  |                        | $\boxtimes$         |      |  |
|   | 1. Chemical name: , CAS #: (See NOTE B4)  |                        |                     |      |  |
|   | 2. Chemical name: , CAS #: "  |                        |                     |      |  |
|   | 3. Chemical name: , CAS #: "  |                        |                     |      |  |
|   | Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)  | $\boxtimes$            | Ш                   | Ш    |  |
| P7.19   | In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been  |                        | $\boxtimes$         |      |  |
|   | assigned the following Risk phrases; and Hazard statements:   |                        |                     |      |  |
| D7 20*  | The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)   |                        |                     |      |  |
| P7.20*  | Postconsumer recycled plastic material content is used in the product (See NOTE B6):  |                        | $\boxtimes$         |      |  |
|   | If YES; at least one of the two alternatives below shall be answered;   |                        |                     |      |  |
|   | a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0%. or  |                        |                     |      |  |
|   | b) The weight of recycled material is g.  |                        |                     |      |  |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model nur  | nber *   | Pro C911      | 0 (Entrance Unit)                               |                            |  | Logo                         | DIC          |            |      |
|--|--|---------------|---|----------------------------|--|------------------------------|--------------|------------|------|
| Issue date   | ssue date * 26 April 2016  |               |   |                            | RIC  | .U                           |              |            |      |
| Product environmental attributes - Market requirements (continued) |  |               |   | Requi                      | irement  | met                          |              |            |      |
| Item   |  |               |   |                            |  |                              | Ye           | s No       | n.a. |
|  |  |               | tance requirements (c                           |                            |  |                              |              |            |      |
| P7.21*   | P7.21* Biobased plastic material content is used in the product (See NOTE B7):   |               |   |                            |  |                              |              |            |      |
|  | If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %.  or  b) The weight of the biobased plastic material is g. |               |   |                            |  |                              |              |            |      |
| P7.22*   |  |               | ee from mercury, i.e. lespecify: Number of lamp | ess than 0,1 mg/lan        | np.<br>imum mercury content per                    | lamp: r                      | ng           |            |      |
| P8   | Batterie   |               |   |                            |  |                              |              |            |      |
| P8.1*  |  |               | mposition: Manganes                             | e dioxide lithium          |  |                              |              |            |      |
| P9   |  |               | ion (See NOTE B8)                               |                            |  |                              |              |            |      |
| P9.1   | For the p  | product the   | following power levels                          | or energy consum           | ptions are reported:                               |                              |              |            |      |
| Energy mo  | ode *  |               | Power level at<br>100 V AC                      | Power level at<br>115 V AC | Power level at 230 V AC                            | Reference/St<br>modes and te |              | energy     |      |
| Sleep mod<br>STAR® Op<br>(OM) produ                                | perational   |               | W   | W                          | W  |                              |              |            |      |
| Standby/of<br>ENERGY S<br>Mode (OM                                 | ff mode fo<br>STAR Ope   | erational     | W   | W                          | W  |                              |              |            |      |
| TEC value<br>TEC produ   | for ENER   |               | kWh/week  | kWh/week                   | 31.390 kWh/week                                    |                              |              |            |      |
| (TEC= Typ<br>Consumpti   |  | ЭУ            |   |                            |  |                              |              |            |      |
| Operating  | Mode   |               | W   | W                          | Mono <b>3261</b> W<br>Colour <b>3621</b> W         |                              |              |            |      |
| Ready Mo   | de   |               | W   | W                          | 678 W  |                              |              |            |      |
| Sleep Mod  | de   |               | W   | W                          | 2 W  |                              |              |            |      |
|  |  |               | W   | W                          | W  |                              |              |            |      |
|  |  |               | W   | W                          | W  |                              |              |            | 一    |
|  |  |               | W   | W                          | W  |                              |              |            | 一一   |
| External Po  | ower Supi  | oly Efficienc | L<br>cy Level (International I                  | Efficiency Marking         | Protocol) *:                                       |                              |              |            |      |
|  |  |               | es per minute                                   |                            |  |                              |              |            |      |
|  |  |               | <u> </u>  |                            |  |                              |              |            | ∺    |
| P9.2*  | Default time to enter energy save mode: 59 minutes  P9.2* Information about the energy save function is provided with the product.   |               |   |                            |  | 井                            |              |            |      |
|  |  |               | le energy save function                         | i is provided with the     | ne product.  |                              | $\boxtimes$  | <u>. L</u> | _Ц   |
| P10  | Emissio<br>Noise e   |               | Declared according to                           | ISO 0206 (See NO           | TE BO)   |                              |              |            |      |
| P10.1  | Mode   |               | lode description                                | 130 9290 (See NO           | Statistical upper limit A-we L <sub>WA,c</sub> (B) | ighted sound <sub>l</sub>    | power level, |            |      |
|  | Idle   | *             | Stand-by  |                            | * 6.3  |                              |              |            |      |
|  | Operation  |               | Operating Mode                                  |                            | * Mono: 8.1, Colour: 8.2                           |                              |              |            |      |
|  | Other m  | ode           | See section P15                                 |                            |  |                              |              |            |      |
|  | Measure  | ed accordin   | g to: X ISO 7779                                | ECMA-74                    |  |                              |              |            |      |
|  |  |               | Other (   | only if not covered        | by ECMA-74)  |                              |              |            |      |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

| Model number *  | Pro C9110 (Entrance Unit)                           | Logo |                 |
|-----------------|---|------|-----------------|
| Issue date *    | 26 April 2016                                       |      | <b>RICOH</b>    |
| Product environ | mental attributes - Market requirements (continued) |      | Requirement met |
| 14              |   |      | 3.4             |

| Product | Requirement met   |             |                   |      |  |
|---------|---|-------------|-------------------|------|--|
| Item    |   | Yes         | No                | n.a. |  |
|         | Chemical emissions from printing products (See NOTE B10)  |             |                   |      |  |
| P10.2*  | Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360), other specify: RAL-UZ171   |             |                   |      |  |
| P10.3   | Typical emission rate (operation phase) is (mg/h):  |             |                   |      |  |
|         | Electrophotographic devices: Dust (mono 3.5 colour 2.8) Ozone (mono 0 colour 3) Styrene (mono 0.17 colour 0.08) Benzene (mono 0.05 colour 0.02) TVOC (mono 3.1 colour 3.1)                                  |             |                   |      |  |
|         | Ink devices: Ozone Dust Styrene Benzene TVOC  |             |                   |      |  |
|         | Note: compliance with maximum emission rates in eco labels to be declared in P14.   |             |                   |      |  |
| P11     | Consumable materials for printing products  |             |                   |      |  |
| P11.1*  | A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).  | $\boxtimes$ |                   |      |  |
| P11.2*  | Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.  |             |                   |      |  |
| P11.3*  | 2-sided (duplex) printing/copying is an integrated product function.  | $\boxtimes$ |                   |      |  |
| P11.4*  | The product is delivered to end-user with default auto-duplex enabled.  |             | $\overline{\Box}$ |      |  |
| P13     | Packaging and documentation   |             |                   |      |  |
| P13.1*  | Product packaging material type(s): Corrugated Paper weight (kg): 33.723  Product packaging material type(s): ): Plastic weight (kg): 0.81  Product packaging material type(s): weight (kg): 0.81           |             |                   |      |  |
| P13.2*  | Product plastic primary packaging is free from PVC.   | $\boxtimes$ |                   |      |  |
| P13.3*  | For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:   |             |                   |      |  |
| P13.4*  | Specify media for user and product documentation (tick box):  Electronic , Paper , Other  |             |                   |      |  |
| P13.5   | (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:  |             |                   |      |  |
|         | Totally chlorine-free   | $\square$   |                   |      |  |
|         | Elemental chlorine-free   |             |                   |      |  |
|         | Processed chlorine-free   | H           |                   |      |  |
| P14     | Voluntary programs:   |             |                   |      |  |
| P14.1   | The product meets the requirements of the following voluntary program(s):   |             |                   |      |  |
|         | ENERGY STAR® Criteria version: 2.0 Date: Product category: Productic category: Product category: Product category: Product category: Eco-label: Date: Product category: Product category: Product category: | n Printe    | er                |      |  |
| P15     | Additional information (See NOTE B11)   |             |                   |      |  |
|         | This product is designed to utilise recycled plastic materials wherever available.  |             |                   |      |  |
|         | Declared A-weighted sound pressure level $L_{p{\rm Am}}$ (dB) in operation position   |             |                   |      |  |
|         | Stand-by: 45.9(dB) Operating Mode: Mono: 63.1(db), Colour 63.6(dB)  |             |                   |      |  |
|         | Not compliant with the Blue Angel Mark (BAM)  |             |                   |      |  |

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

| Reference   | Declaration item             |
|---|------------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.  | P1.1, P4.1                   |
| (EC) 1907/2006(REACH, Annex XVII  | P1.2, P1.4, P1.6, P1.7, P4.2 |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)  | P1.3, 5.3                    |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002  | P1.5                         |
| "REACH" Regulation (1907/2006), annex VII   | P1.10                        |
| Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.              | P2.1, P2.2, P2,3, P8.1       |
| Directive 2006/95/EC (Low Voltage Directive)  | P3.1                         |
| Directive 2004/108/EC (EMC Directive)   | P3.1                         |
| Directive 1999/5/EC (R&TTE Directive)   | P3.1                         |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2                   |
| Regulation (EC) 1907/2006 (REACH Regulation),<br>Article 31, annex II)  | P4.3                         |
| Regulation (EC) 1272/2008 (CLP Regulation)  | P4.3, P7.19                  |
| Directive 2004/12/EC ( Packaging Directive)   | P5.1                         |
| Decision 97/129/EC ( Secondary packaging legislation)   | P5.2                         |
| Directive 2012/19/EU (WEEE directive)   | P6.1                         |