



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	RICOH
Company name *	Ricoh Company Ltd.	
Contact information *	Ricoh Europe Plc, 20 Triton Street	
E-mail address	London NW1 3BF, United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Production Printer			
Commercial name *	Pro C9110 (Exit Unit)			
Model number *	Pro C9110 (Exit Unit)			
Issue date *	26 April 2016			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue da	ite *	26 April 2016	KIC	. U	' 			
Produc	Product environmental attributes - Legal requirements			Requirement met				
Item			Yes	No	n.a.			
P1	Hazardo	ous substances and preparations						
P1.1*	Products	s do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes					
P1.2*		s do not contain Asbestos (see legal reference).	X					
		nt: Legal reference has no maximum concentration value.						
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),						
		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1	-					
	trichloro	ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum						
	concent	ration values.						
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes					
	terpheny	/I (PCT) in preparations (see legal reference).						
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	the 🔀					
		intaining at least 48% per mass of chlorine in the SCCP (see legal reference).						
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/w	eek 🔀					
	(see legal reference).							
	Comme	nt: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes					
	emo@r	icoh-europe.com ``			ш			
P2	Batterie	s						
P2.1*	If the pro	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			\boxtimes			
	symbol.	Information on proper disposal is provided in user manual. (See legal reference)						
P2.2*	Batterie	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See le	gal					
	referenc	e)						
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)			\boxtimes			
P3		nity verification & Eco design (ErP)						
P3.1*	The pro	duct is CE-marked to show conformance with applicable legal requirements (see legal reference	;).					
	The Dec	claration of Conformity can be requested at (add link or e-mail address): emo@ricoh-europe.c c	om 💆	_				

given in item P15 or added to this document,

If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see

If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference). If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there

Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)

The product packaging material is free from ozone depleting substances as specified in the Montreal

are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available

The product complies with the Eco design requirements for energy-related products,

available at (add URL):

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *

P3.2*

P4

P4.1

P4.2*

P4.3*

P5

P5.1

P5.2

P5.3*

P6

P6.1

(see legal reference). Required information is;

Consumable materials

(see legal reference).

Product packaging

used (see legal reference).

Treatment information

Protocol (see legal reference).

legal reference and NOTE B1).

hexavalent chromium by weight of these together.

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

Pro C9110 (Exit Unit)

Model number *	Pro C9110 (Exit Unit)	Logo	RICOH
Issue date *	26 April 2016		KICOH

Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design					
	Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes				
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes				
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes				
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes	$\overline{\sqcap}$			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).					
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes				
P7.8*	Upgrading can be done using commonly available tools	\boxtimes				
P7.9.	Spare parts are available after end of production for: 7 years	\boxtimes	$\overline{\sqcap}$			
P7.10	Service is available after end of production for: 7 years	$\overline{\boxtimes}$				
	Material and substance requirements					
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):					
	Material type: PC+ABS Material type: PC+PS Material type:					
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes			
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and	\boxtimes				
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts					
	containing more than 25% post-consumer recycled content.					
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		\boxtimes			
	halogen as defined in IEC 61249-2-21. (See NOTE B2)					
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	\boxtimes				
P7.17	Marking: <u>Alt. 1:</u> Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):					
1 7.17	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name:, CAS #:		\boxtimes			
	(Coc NOTE BO), Chief, Chemical Hame.					
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g					
	according ISO 1043-4:					
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in					
7.10	concentrations above 0.1%:		\boxtimes			
	1. Chemical name: , CAS #: (See NOTE B4)					
	2. Chemical name: , CAS #: "					
	3. Chemical name: , CAS #: "					
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\boxtimes	Ш	Ш		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		\boxtimes			
	assigned the following Risk phrases; and Hazard statements:					
D7 20*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)					
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):		\boxtimes			
	If YES; at least one of the two alternatives below shall be answered;					
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0%. or					
	b) The weight of recycled material is g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nui	odel number * Pro C9110 (Exit Unit)		Logo	DIC					
Issue date	sue date * 26 April 2016			RIC	.U				
Product	environr	nental att	ributes - Market red	quirements (cont	inued)		•	rement	met
Item							Ye	s No	n.a.
			ance requirements (c	•					
P7.21*		•	aterial content is used i	•	,				
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%. or b) The weight of the biobased plastic material is g. 								
P7.22*			ee from mercury, i.e. le pecify: Number of lamp	ess than 0,1 mg/lamp ps: and maxir	o. mum mercury content per	r lamp: r	mg		
P8	Batteries								
P8.1*			mposition: No battery						\boxtimes
P9			on (See NOTE B8)						
P9.1	For the p	oroduct the	following power levels	or energy consumpt	ions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Stamodes and te		energy	
Sleep mod STAR® O _I (OM) prod	perational		W	W	W				
Standby/of ENERGY Mode (OM	ff mode for STAR Ope	erational	W	W	W				
TEC value TEC produ	for ENER	GY STAR	kWh/week	kWh/week	31.390 kWh/week				
(TEC= Typ	tion)	ЭУ							
Operating			W	W	Mono 3261 W Colour 3621 W				
Ready Mo	ode		W	W	678 W				
Sleep Mod	de		W	W	2 W			-	
			W	W	W				
			W	W	W	†			市
			W	W	W	 			一
External P	ower Supr	nly Efficienc	y Level (International I						
			s per minute						
Default tim	ne to enter	energy sav	ve mode: 59 minutes			1			
P9.2*	Informat	ion about th	ne energy save function	n is provided with the	e product.		X		
P10	Emissio	ns							
		mission – I	Declared according to I						
P10.1	Mode	M	lode description	Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)					
	Idle	*	Stand-by	*	6.3				
	Operatio	n *	Operating Mode	*	Mono: 8.1, Colour: 8.2				T
	Other mode		See section P15						
	Measure	ed according	g to: 🔀 ISO 7779 🗌	ECMA-74					
			Other (only if not covered b	ν FCMΔ-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *	Pro C9110 (Exit Unit)	Logo	
Issue date *	26 April 2016		RICOH
Product environ	mental attributes - Market requirements (continued)		Requirement met
1.			., .,

Product	environmental attributes	- Market requirements	(continued)	R	equire	ment	met
Item					Yes	No	n.a.
	Chemical emissions from						
P10.2*	Test performed according to	ECMA-328 Determination of	of Chemical Emission R	ates from Electronic	\boxtimes		
	Equipment (ISO/IEC 28360)		171				
P10.3	Typical emission rate (opera	tion phase) is (mg/h):					
	Electrophotographic devices	: Dust (mono 3.5 colour 2.8)	Ozone (mono () coloui	3) Styrene (mono 0.17 colour			
	0.08) Benzene (mono 0.05 c			of editions (ments of the colour			ш
		Dust Styrene		/OC			
		•					
	Note: compliance with maxing		abels to be declared in	P14.			
P11	Consumable materials for						
P11.1*	A Safety Data Sheet (SDS) i				\boxtimes		
P11.2*	Paper containing post-cons EN 12281.	umer recycled fibers can b	be used, provided that	it meets the requirements of			
P11.3*	2-sided (duplex) printing/cop	ying is an integrated produc	ct function.		\square		
P11.4*	The product is delivered to e	nd-user with default auto-du	ıplex enabled.		X	Ħ	$\overline{\Box}$
P13	Packaging and documenta	tion	•			_	
P13.1*	Product packaging material		weight (kg): 34.62	3			
	Product packaging material		nt (kg): 2.728				
	Product packaging material		nt (kg):				
P13.2*	Product plastic primary pack	aging is free from PVC.			\boxtimes		
P13.3*	For product primary corrugationsumer recovered fiber co		specify the contained	percentage of minimum post-			
P13.4*	Specify media for user and p	product documentation (tick	box):				
	Electronic X, Paper X, O						
P13.5	(Please only complete this item if paper documentation used)						
	User and product documentation on paper media is chlorine-free:						
	If Yes, please specify:						
	Totally chlorine-free				\square		
	Elemental chlorine-free						
	Processed chlorine-free						
P14	Voluntary programs:						
P14.1	The product meets the requi	rements of the following volu	untary program(s):				
	·	•		Product actagons Production	n Drint	۰.	
	ENERGY STAR® Criteria version: 2.0 Date: Product category: Production Printer Eco-label: Date: Product category: Produc						
	Eco-label:	Criteria version:	Date:	Product category:			
P15	Additional information (Se						
	This product is designed t	o utilise recycled plastic n	naterials wherever ava	ailable.			
	Declared A-weighted sound pressure level $L_{p{\sf Am}}$ (dB) in operation position						
	Stand-by: 45.9 (dB)						
	Operating Mode: Mono: 63	.1(db), Colour 63.6(dB)					
	Not compliant with the Blu	e Angel Mark (BAM)					
	•						

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1